


KEYSTONE HEADWALL OPTION FOR CULVERTS PERPENDICULAR TO KEYSTONE WALL






NOTES: 1. DRAINAGE AGGREGATE FILL IN THE PIPE ZONE IS 3/8" TO 3/4" CRUSHED ROCK.
2. GEOTEXTILE MUST BE SELECTED SO IT IS NOT BLINDED BY THE PIPE BACKFILL


MODULAR BLOCK HEADWALL PIPE ZONE SEPERATION DETAIL







MODULAR BLOCK HEADWALL DETAIL

TOTAL WIDTH OF HEADWALL FACE MUST BE A FULL INCREMENT OF THE MODULAR BLOCK LAYING LENGTH





SECTION D-D MODULAR BLOCK/ALUMINUM ARCH OR BOX CULVERT HORIZONTAL CONNECTION JOINT DETAIL



VERTICAL SETTLEMENT JOINT DETAIL

NOTE: VERTICAL SETTLEMENT JOINTS REQUIRED AT TRANSITION:
A. BETWEEN FOOTINGS
B. BETWEEN WALL TYPES
C. AT ALIGNMENT CHANGES

DESIGN IS FOR INTERNAL STABILITY OF THE KEYSTONE WALL STRUCTURE ONLY. EXTERNAL STABILITY, INCLUDING BUT NOT LIMITED TO FOUNDATION AND SLOPE STABILITY, IS THE RESPONSIBILITY OF THE OWNER. THE DESIGN IS BASED ON THE ASSUMPTION THAT THE MATERIAL WITHIN THE RETAINED MASS, METHODS OF CONSTRUCTION, AND QUALITY OF MATERIALS CONFORM TO KEYSTONE'S SPECIFICATIONS FOR THIS PROJECT.

THIS DRAWING IS BEING FURNISHED FOR THIS SPECIFIC PROJECT ONLY. ANY PARTY ACCEPTING THIS DOCUMENT DOES SO IN CONFIDENCE AND ACREES THAT IT SHALL NOT BE DUPLICATED IN WHOLE OR IN PART, NOR DISCLOSED TO OTHERS WITHOUT THE CONSENT OF KEYSTONE RETAINING WALL SYSTEMS, INC.

No.	Date	Revision	Ву

Minneapolis, MN 55435 (612) 897-1040

Designed By:	Client:			Title:	_	
RKM	RKM CON			CULVERT DETAILS		
Checked By:	CONSTRUCTION PRODUCTS INC.			COLVERT DETAILS		
CDM						
Date:	Scale:			Project No:	Drawing No:	
08/08/00	NO SCALE				6	

UNIT DRAINAGE FILL MODULAR BLOCKS GROUT BETWEEN
BLOCK & HEADWALL
USING NON-SHRINK
TYPE GROUT CONFORMING
TO ASTM C1107. TRIM
BLOCKS TO LEAVE NO
GAP WITH HEADWALL
LARGER THAN 3/4"
(20 mm). CONCRETE GEOTEXTILE ATTACHED WITH CONSTRUCTION ADHESIVE SECTION A-A SECTION B-B MODULAR BLOCK/CONC. HEADWALL MODULAR BLOCK/CONC. HEADWALL HORIZONTAL CONNECTION JOINT DETAIL

RETAINING WALL SYSTEMS 4444 West 78th Street