


Typical Reinforced Wall Section Century Wall Unit - 1" Setback

Place Additional Pieces of Geogrid -

8" Min. Low Permeable Soil -Keystone Cap Unit Keystone Century Wall Unit 1" - 1 1/4" Retained Soil 8" Finished Grade Unit Drainage Fill 24' (3/4" Crushed Rock or Stone) Approximate Limits of Excavation Unreinforced Concrete or Crushed Stone Leveling Pad 4" Perforated PVC Drainage Tile Wrapped in Filter Fabric (If Required) Foundation Soil


Typical Gravity Wall Section


Century Wall Unit - 1" Setback




Century Wall Unit/Base Pad Isometric Section View


* Dimensions & Weight May Vary by Region














Top of Wall Steps







7" / 11" / 18"

Century Wall


Unit Elevation

* Dimensions & Availability

Will Vary by Region

stability, including but not limited to foundation and slone stability is the responsibility of the Owner. The design is based on the assumption that the materials within the retained mass, methods of construction, and quality of materials conform to KEYSTONE's specification for this project.

This drawing is being furnished for this specific project only. Any party accepting this document does so in confidence and agrees that it shall not be duplicated in whole or in part, nor disclosed to others without the consent of Keystone Retaining Wall Systems, Inc.





952-897-1040

Designed By: RKM	Title: Century Wall Unit - Details	Date:
Checked By:	Project:	Project No:
CDM	Keystone Retaining Wall Systems	
Scale:	Typical Wall Details	Drawing No:
No Scale	, '	

* Dimensions & Availability

Will Vary by Region